

Only with King's Court Builders

- Two-year in-house builder warranty
- Marvin-Integrity Wood-Ultrex Windows
- Professional landscaping package including \$10,000 for plantings and parkway trees plus fully sodded yard
- All stick built construction 16" on center – no trusses or prefab walls

Protecting Your Family from the Elements

- Marvin Integrity Wood-Ultrex double-hung or casement windows and sliding glass door per plan featuring:
 - Ultrex, a pultruded fiberglass, is 8 times stronger than vinyl
 - LoE2-272 insulated glass with energy saving Argon gas
 - Screens throughout and internal grilles on front elevation
 - Choice of 6 exterior colors
- Front entry door unit allowance of \$1,000
- 3/4" tongue and groove OSB subflooring, glued, nailed and screwed
- OSB on all exterior walls for superior structural performance
- Owens Corning Oakridge Series lifetime architectural asphalt roof shingles
- Brick and/or stone front elevation per plan with address marker
- JamesHardie fiber cement siding with 30-year warranty and trim with 15-year warranty, all with ColorPlus technology carrying a 15-year warranty (all warranties are non-prorated)
- Tyvek HomeWrap
- Aluminum gutters and downspouts

The Finishing Touches

- Nine foot First Floor ceilings
- Extended tray ceiling in Master Bedroom
- Custom milled stained poplar staircase(s) and balusters per plan
- 6'8" tall painted solid core paneled doors
- 7'8" tall painted cased openings on First Floor
- 5" tall painted baseboards and 3" wide casing throughout home
- Choice of up to three paint colors for walls and one color for ceilings (assuming one coat coverage)
- Choice of seven Schlage front entry handlesets in satin nickel
- Schlage Plymouth or Georgian series interior door hardware in satin nickel
- One row of Rubbermaid FreeSlide wire shelving in all closets except linen closets and pantry which include five TightMesh shelves

The Heartbeat of the Home (Kitchen)

- Appliance allowance of \$4,000
- Brakur custom-built cabinets with Group 2 door style, 42" and 36" staggered upper cabinets with 3-5/8" crown moulding and soft close doors and drawers
- Group 1 granite or quartz countertops
- Five recessed can lights off two switches
- One light opening over island off separate switch
- Elkay Dayton double bowl stainless steel undermount sink
- Moen Brantford high arc chrome faucet with pull-down sprayer
- Garbage disposal
- Water line for refrigerator (final hook-up to be completed by homeowner)

MONARCH FEATURES

Let's Get Refreshed (Bathrooms)

- **Cabinets:** Brakur custom-built cabinets with Group 2 door style, raised height vanity and soft close doors and drawers
- **Countertops:** Group 1 granite or quartz vanity tops with ProFlo undermount sink
- **Tub and Shower (Master Bath):**
 - Oasis fiberglass oversized soaking tub and a 48" x 48" fiberglass shower base plus carpenter built seat with ceramic surround and semi-frameless 3/16" thick clear glass bypass shower door
- **Tub and Shower (Secondary baths):**
 - Sterling All Pro Vikrell tub with ceramic surround in at least one bath
 - 48" x 34" fiberglass shower base with ceramic surround and semi-frameless 3/16" thick clear glass bypass shower door in remaining private baths
- **Faucets:** Moen Brantford or Eva 4" centerset chrome faucets
- **Toilets:** Mansfield Alto elongated front SmartHeight toilet (Master Bath and Powder Room) and Mansfield Alto round front toilets (Secondary Baths)
- **Mirrors:** 42" high mirrors over vanities

Surfaces (Flooring)

- 5" wide scraped pre-finished engineered flooring with flush mount vents in choice of four wood species in Foyer, First Floor Hallway, Kitchen, Dinette, Powder Room, and Mudroom per plan
- Ceramic flooring in Laundry and full Bathrooms
- Carpeting with stain protection over 1/2" 4 lb. bonded padding in remaining areas

Somebody's Gotta Do It (Laundry)

- Hookup for washer and gas dryer

Coziness (Fireplace)

- Heat & Glo SL-750TR direct vent gas fireplace with granite surround and flush hearth
- Painted custom-built wood mantle surround

Lighting, Electrical and Low Voltage

- Lighting allowance of \$2,000
- Wiring for and installation of homeowner provided ceiling/fan lights in Family Room and Bedrooms
- One Cat-6 phone/data jack
- Four RG-6 cable TV jacks
- Two exterior GFI electrical outlets
- Tamper proof outlets in Bedrooms

Basement

- Full Basement (partial crawl space on ranch plan) with 8'10" wall height (7'10" foundation wall plus 1' knee wall or 8'10" foundation wall per plan)
- Concrete walls are reinforced with rebar and have a 10-year waterproofing warranty
- Large escape window with insulated glass per plan

Energy Efficiency

- R-15 high-density batts in 2 x 4 exterior walls and R-21 high-density batts in 2 x 6 exterior walls
- R-38 flat and slope ceiling insulation
- R-11 foundation wall blanket insulation
- R-42 sealing attic access panels per plan

- Fully insulated garage including R-13 batts in 2 x 4 walls, R-19 batts in 2 x 6 walls and ceilings below unconditioned spaces, R-38 batts plus R-5 sheathing in ceilings below conditioned spaces
- 1" of closed cell spray foam insulation plus R-13 fiberglass batt at Basement to First Floor and First Floor to Second Floor rim joists
- Spray foam around any pipe that penetrates an exterior wall
- Top and bottom plates are caulked
- Home is blower door tested for tightness of building envelope

Stuff Guys Tend to Ask About (Mechanicals)

- 95% AFUE rated direct vent furnace(s) with quiet, energy-efficient ECM motor
- 13 SEER energy-efficient, environmentally friendly central air conditioning unit(s)
- 50-gallon direct vent water heater
- Three piece underground rough-in plumbing for future Bath
- Aprilaire humidifier(s) with digital controls
- Honeywell FocusPRO 6000 programmable thermostat(s)
- Honeywell mechanical fresh air intake system
- Exhaust fans in Bathrooms
- Zoeller high capacity sump pump (total of 50 gallons per minute)
- Two exterior frost proof water spigots
- Smoke detectors and carbon monoxide detectors per code
- Passive radon mitigation system
- Solid ducting of cold air returns

Garage, Driveway and Sidewalks

- Fully insulated 3 or 4-car garage per plan, drywalled and fire taped
- 8' tall insulated raised panel steel garage doors and two 1/2 HP Lift Master chain drive openers with one transmitter for each parking space and exterior keypad
- Concrete driveway that extends from brickmould to brickmould
- 4' wide concrete service walk with flared end and concrete public walks per code



LUXE FEATURES

Only with King's Court Builders

- Two-year in-house builder warranty
- Marvin-Integrity Wood-Ultrex Windows
- Interior wall sound insulation around Bathrooms, Bedrooms, horizontal, and vertical plumbing lines
- Security system
- Professional landscape package including \$10,000 for plantings and parkway trees plus fully sodded yard
- Lawn irrigation system
- Patio allowance of \$4,000
- All stick built construction 16" on center – no trusses or prefab walls
- Plywood (as opposed to OSB) used on all roof sheathing
- 3/4" tongue and groove plywood subflooring (as opposed to OSB), glued, nailed and screwed
- Plywood (as opposed to OSB) used at exterior corners, two-story walls and at key locations for superior structural performance

Protecting Your Family from the Elements

- Marvin Integrity Wood-Ultrex double-hung or casement windows and French style sliding glass door per plan featuring:
 - Ultrex, a pultruded fiberglass, is 8 times stronger than vinyl
 - LoE2-272 insulated glass with energy saving Argon gas
 - Screens throughout and internal grilles on front elevation
 - Choice of 6 exterior colors
- Front entry door unit allowance of \$2,000
- Owens Corning Oakridge Series lifetime architectural asphalt roof shingles
- Brick and/or stone front elevation per plan with address marker
- JamesHardie fiber cement siding with 30-year warranty and trim with 15-year warranty, all with

ColorPlus technology carrying a 15-year warranty (all warranties are non-prorated)

- Tyvek HomeWrap
- Aluminum gutters and downspouts

The Finishing Touches

- Nine foot First Floor ceilings
- Extended tray ceiling in Master Bedroom and volume ceilings in secondary Bedrooms
- Decorative ceiling in Dining Room
- Custom milled stained poplar staircase(s) with enlarged starter step on non-curved staircases and full volutes on curved staircases per plan with iron balusters
- 6'8" tall painted solid core paneled doors
- 7'8" tall painted cased openings on First Floor
- 5" tall painted baseboards and 3" wide casing throughout home
- 5-1/4" painted crown moulding in Living Room and Dining Room (only in rooms with flat ceilings and non-curved walls)
- Painted lockers per plan
- Painted 42" high Traditional style chair rail and panel mould wainscoting in Dining Room
- Painted interior front door surround
- Choice of up to three paint colors for walls and one color for ceilings (assuming one coat coverage)
- Choice of seven Schlage front entry handlesets in satin nickel
- Choice of several Schlage interior door knobs/levers in satin nickel
- One row of Rubbermaid FreeSlide wire shelving in all closets except linen closets and pantry which include five TightMesh wire shelves

The Heartbeat of the Home (Kitchen)

- Appliance allowance of \$7,500
- Brakur custom-built cabinets with Group 2 door style, 42" and 36" staggered upper cabinets with 3-

5/8" crown moulding, and soft close doors and drawers

- Group 1 granite or quartz countertops
- Backsplash allowance of \$2,000
- Six recessed can lights off three switches
- Two light openings over island off separate switch
- Elkay Dayton double-bowl stainless steel undermount sink
- Kohler Cruette high-arch polished chrome faucet with pull-down sprayer
- Garbage disposal
- Water line for refrigerator (final hook-up to be completed by homeowner)

Let's Get Refreshed (Bathrooms)

- **Cabinets:** Brakur custom-built cabinets with Group 2 door style, raised height vanity and soft close doors and drawers
- **Countertops:** Group 1 granite or quartz vanity tops with Kohler Caxton undermount sinks
- **Tub and Shower (Master Bath):**
 - Oasis fiberglass oversized soaking tub and a 48" x 48" poured mud shower base plus carpenter built seat with ceramic surround, two corner shelves, and frameless 3/8" thick clear glass swing shower door and panel(s)
- **Tub and Shower (Secondary Baths):**
 - Sterling All Pro Vikrell tub with ceramic surround in Jack 'n Jill Bath (or at least one private bath)
 - Kohler Archer 60" x 36" fiberglass shower base with ceramic surround and semi-frameless 3/16" thick clear glass bypass shower door in remaining private baths
- **Faucets:** Kohler Devonshire 8" widespread (Master Bath and Powder Room) and 4" centerset (Secondary Baths) chrome
- **Toilets:** Kohler Highline Comfort Height elongated toilets (Master Bath and Powder Room) and Kohler Wellworth round front toilets (Secondary Baths) all

with Quiet-Close seats and Class Five flush technology

- **Mirrors:** 42" high mirrors over vanities

Surfaces (Flooring)

- 5" wide smooth pre-finished engineered maple flooring with flush mount vents in choice of four color options – **OR** – 3-1/4" wide site-finished select and better red oak flooring with flush oak floor vents in Foyer, First Floor Hallways, Kitchen, Dinette, Powder Room, Dining Room, and Mudroom per plan
- Choice of approximately forty 12" x 24", 18" x 18", or 7" x 24" ceramic and/or porcelain tiles in Laundry Room and full Bathrooms
- Choice of a plush nylon, low pile pattern, or multi-color carpet with stain protection over 1/2" 6 lb. bonded padding in remaining areas

Somebody's Gotta Do It (Laundry)

- Brakur Group 2 base cabinet, laminate countertop with drop-in sink, Kohler Coralais faucet and 5' of 36" tall upper cabinets
- Hookup for washer and gas dryer

Coziness (Fireplace)

- Heat & Glo 6000C direct vent gas fireplace with granite surround and flush hearth
- Painted custom-built wood mantle surround
- Two eyeball lights above fireplace

Lighting, Electrical and Low Voltage

- Lighting allowance of \$3,000
- Wiring for and installation of homeowner provided ceiling fan/lights in Family Room, Den and Bedrooms
- Decora light switches throughout
- Two Cat-6 phone/data jacks
- Six RG-6 cable TV jacks
- Two exterior GFI electrical outlets

- Tamper proof outlets in Bedrooms

Basement

- Full Basement (partial crawl space on ranch plan) with 9'4" wall height (7'10" foundation wall plus 1'6" knee wall or 9'4" foundation wall)
- Concrete walls are reinforced with rebar and have a 10-year waterproofing warranty
- Large escape window with insulated glass per plan

Energy Efficiency

- R-15 high-density batts in 2 x 4 exterior walls and R-21 high-density batts in 2 x 6 exterior walls
- R-38 flat and slope ceiling insulation
- R-11 foundation wall blanket insulation
- R-42 sealing attic access panels per plan
- Fully insulated garage including R-13 batts in 2 x 4 walls, R-19 batts in 2 x 6 walls and ceilings below unconditioned spaces, R-38 batts plus R-5 sheathing in ceilings below conditioned spaces
- 1" of closed cell spray foam insulation plus R-13 fiberglass batt at Basement to First Floor and First Floor to Second Floor rim joists
- Spray foam around any pipe that penetrates an exterior wall
- Top and bottom plates are caulked
- Home is blower door tested for tightness of building envelope

Stuff Guys Tend to Ask About (Mechanicals)

- 95% AFUE rated direct vent furnace(s) with quiet, energy-efficient ECM motor
- 13 SEER energy-efficient, environmentally friendly central air conditioning unit(s)
- 75-gallon direct vent high-efficiency water heater
- Three piece underground rough-in plumbing for future Bath
- Honeywell F100 media whole-house air cleaner(s)
- Aprilaire humidifier(s) with digital controls

- Honeywell FocusPRO 6000 WiFi programmable thermostat(s)
- Honeywell mechanical fresh air intake system
- Exhaust fans in Bathrooms
- Zoeller high capacity sump pump (total of 50 gallons per minute)
- Two exterior frost proof water spigots
- Smoke detectors and carbon monoxide detectors per code
- Passive radon mitigation system
- Solid ducting of cold air returns

Garage, Driveway and Sidewalks

- Fully insulated 3 or 4-car garage per plan with finish taped and painted drywall
- 8' tall insulated raised panel steel garage doors with decorative glass inserts, two 1/2 HP Lift Master belt drive openers with one transmitter for each parking space, and exterior keypad
- Concrete driveway with curb cut, extended one foot past garage brickmould
- 4' wide concrete service walk with flared end and concrete public walks per code



Only with King's Court Builders

- Two-year in-house builder warranty
- Ten foot First Floor ceilings
- Marvin-Integrity Wood-Ultrex Windows
- Interior wall sound insulation around Bathrooms, Bedrooms, and horizontal plumbing lines plus cast iron vertical drops
- Honeywell TrueFRESH Energy Recovery Ventilator(s) (ERV) improves indoor air quality in a balanced manner and reduces energy costs
- Security system
- Professional landscaping package including \$10,000 for plantings and parkway trees plus fully sodded yard
- Lawn irrigation system
- Patio allowance of \$6,000
- All stick built construction 16" on center – no trusses or prefab walls
- Plywood (as opposed to OSB) used on all roof sheeting
- ¾" tongue and groove plywood subflooring (as opposed to OSB), glued, nailed and screwed
- Plywood (as opposed to OSB) used at exterior corners, two-story walls and at key locations for superior structural performance

Protecting Your Family from the Elements

- Marvin Integrity Wood-Ultrex double-hung or casement windows and French style sliding glass door per plan featuring:
 - Ultrex, a pultruded fiberglass, is 8 times stronger than vinyl
 - LoE2-272 insulated glass with energy saving Argon gas
 - Screens throughout and internal grilles on front elevation
 - Choice of 6 exterior colors
- Front entry door unit allowance of \$3,000
- Owens Corning TruDefinition Duration lifetime architectural asphalt roof shingles
- Brick and/or stone front elevation per plan with address marker

- JamesHardie fiber cement siding with 30-year warranty and trim with 15-year warranty, all with ColorPlus technology carrying a 15-year warranty (all warranties are non-prorated)
- Tyvek HomeWrap
- Aluminum gutters and downspouts

The Finishing Touches

- Extended tray ceiling in Master Bedroom and volume ceilings in secondary Bedrooms
- Decorative ceiling in Dining Room
- Custom milled stained poplar staircase(s) with enlarged starter step on non-curved staircases and full volutes on curved staircases per plan with iron balusters
- 8' tall painted solid core paneled doors on First Floor, 6'8" on Second Floor
- 8' tall painted cased openings on First Floor
- 7-1/4" tall painted baseboards and 3-1/2" wide painted casing throughout home
- Two-piece painted crown moulding with 5-1/4" crown plus crown enhancer in Living Room, Dining Room, Library, two-story Foyer and Upper Hallway (only in rooms with flat ceilings and non-curved walls)
- Painted lockers with stained bench per plan
- Painted 66" high Transitional style wainscoting in Dining Room
- Painted interior front door surround
- Choice of up to five paint colors for walls and one color for ceilings (assuming one coat coverage)
- Choice of seven Schlage front entry handlesets in your choice of finish
- Choice of several Schlage interior door knobs/levers in satin nickel
- Master Bedroom closet allowance of \$1,000, secondary Bedrooms and coat closets include one row of Rubbermaid FreeSlide wire shelving, linen closets and pantry include five TightMesh shelves

The Heartbeat of the Home (Kitchen)

- Appliance allowance of \$10,000
- Brakur custom-built cabinets with Group 5 door style, 48" and 42" staggered upper cabinets with 3-5/8" crown moulding, soft close doors and drawers, 2 glass doors and a 4-drawer bank in butler's pantry
- Group 2 granite or quartz countertops
- Backsplash allowance of \$2,000
- Ten can lights off three switches
- Two light openings over island off separate switch
- Elkay Harmony stainless steel undermount sink with 10" and 7 ½" deep bowls
- Kohler Vinnata high-arch polished chrome faucet with pull-down sprayer
- Garbage disposal
- Water line for refrigerator (final hook-up to be completed by homeowner)

Let's Get Refreshed (Bathrooms)

- **Cabinets:** Brakur custom-built cabinets with Group 5 (Master Bath and Powder Room) and Group 2 (Secondary Baths) door style, raised height vanity, soft close doors and drawers, and 3 drawer bank per plan
- **Countertops:** Group 2 (Master Bath and Powder Room) and Group 1 (Secondary Baths) granite or quartz vanity tops with Kohler Caxton undermount sinks
- **Tub and Shower (Master Bath):**
 - Oasis fiberglass tub with air jet system and walk-in shower with poured mud base, ceramic surround, seat, two corner shelves, and frameless 3/8" thick clear glass swing shower door and panel(s).
 - Kohler Kelston wall-mounted shower head and personal spray on slide bar with transfer valve
 - Volume ceiling with skylight
 - Autocirc instant hot water system with 24-hour timer

- **Tub and Shower** (Secondary Baths):
 - Sterling All Pro Vikrell tub with ceramic surround in Jack 'n Jill bath (or at least one private bath)
 - Kohler Archer 60" x 36" fiberglass shower base with ceramic surround and semi-frameless 3/16" thick clear glass bypass shower door in remaining private baths
- **Faucets:** Kohler Kelston 8" widespread (Master Bath and Powder Room) and 4" centerset (Secondary Baths) polished chrome
- **Toilets:** Kohler Highline Comfort Height (Master Bath and Powder Room) and Kohler Wellworth (Secondary Baths) elongated toilet with Quiet-Close seat and Class Five flush technology
- **Mirrors:** 42" high beveled mirrors over vanities

Surfaces (Flooring)

- Choice of 7-1/2" wide pre-finished engineered wire-brushed oak flooring – **OR** – 4" wide site-finished select and better red oak flooring with flush mount vents in Foyer, First Floor Hallways, Kitchen, Dinette, Powder Room, Dining Room, Living Room, Library, and Mudroom per plan
- Choice of approximately fifty 12" x 24", 18" x 18", or 7" x 24" designer inspired ceramic and/or porcelain tiles in laundry room and full bathrooms
- Choice of Anso nylon plush or low pile pattern, or multi-color fleck carpet with stain protection over 1/2" 8 lb. bonded padding in remaining areas

Somebody's Gotta Do It (Laundry)

- Brakur Group 2 base cabinet, Group 1 granite or quartz countertop, Sterling Latitude undermount sink, Kohler Coralais faucet with pull-out sprayer and 36" upper cabinets with 3-5/8" crown moulding per plan
- Hookup for washer and gas dryer

Coziness (Fireplace)

- Heat & Glo 8000CLX direct vent gas fireplace with remote control, granite surround, and flush hearth

- Painted custom-built floor to ceiling wood mantle surround
- Two eyeball lights above fireplace

Lighting, Electrical and Low Voltage

- Lighting allowance of \$5,000
- Wiring for and installation of homeowner provided ceiling fan/lights in Family Room, Den and Bedrooms
- Decora light switches throughout
- Four Cat-6 phone/data jacks
- Six RG-6 cable TV jacks
- Two exterior GFI electrical outlets
- Tamper proof outlets in Bedrooms
- Termination hub in Basement to organize low voltage wiring

Basement

- Full Basement with 10'4" wall height (8'10" foundation wall plus 1'6" knee wall or 9'10" foundation wall plus 6" knee wall per plan)
- Concrete walls are reinforced with rebar and have a 10-year waterproofing warranty
- Large escape window with insulated glass per plan

Energy Efficiency

- R-15 high-density batts in 2 x 4 exterior walls and R-21 high-density batts in 2 x 6 exterior walls
- R-50 flat ceiling insulation
- R-38 slope ceiling insulation
- R-11 foundation wall blanket insulation
- R-42 sealing attic access panels per plan
- Fully insulated garage including R-13 batts in 2 x 4 walls, R-19 batts in 2 x 6 walls and ceilings below unconditioned spaces, R-38 batts plus R-5 sheathing in ceilings below conditioned spaces
- 1" of closed cell spray foam insulation plus R-13 fiberglass batt at Basement to First Floor and First Floor to Second Floor rim joists
- Spray foam around any pipe that penetrates an exterior wall
- Top and bottom plates are caulked

- Home is blower door tested for tightness of building envelope

Stuff Guys Tend to Ask About (Mechanicals)

- 95% AFUE rated two stage/variable-speed furnace(s) with quiet, energy-efficient ECM motor
- 13 SEER energy-efficient, environmentally friendly central air conditioning unit(s)
- Two 50-gallon direct vent high-efficiency water heaters
- Three piece underground rough-in plumbing in Basement for future Bath
- Honeywell F300 media whole-house electronic air cleaner(s)
- Aprilaire humidifier(s) with digital controls
- Honeywell WiFi 9000 Color Touch programmable thermostat(s)
- Exhaust fans in Bathrooms
- Two Zoeller high capacity sump pumps (total of 100 gallons per minute)
- Two exterior frost proof water spigots
- Smoke detectors and carbon monoxide detectors per code
- Passive radon mitigation system
- Solid ducting of cold air returns

Garage, Driveway and Sidewalks

- Fully insulated 3 or 4-car garage per plan with finish taped and painted drywall
- 8' tall Carriage House insulated garage doors with decorative glass inserts, two 1/2 HP Lift Master belt drive openers (with battery backup and WiFi) with one transmitter for each parking space, and exterior keypad
- Concrete driveway with curb cut, extended one foot past garage brickmould
- 4' wide concrete service walk with flared end and concrete public walks per code